



GLOBAL TIMBER.

**GLOBAL
PROFILE
& PRODUCT
CATALOGUE**

SAWN WOOD

**WE
HEART
WOOD**



WE

40 years of experience.
Product experts
and professionals.
Global presence.

HEART

We have grown up with
wood. We are passionate
about wood. We know all
about wood.

WOOD

High-quality hardwood.
45+ different types of
wood. 30+ countries
and 6 continents.

HARDWOOD IS THE HEART OF EVERYTHING WE DO

Global Timber is a well-established and independent supplier of hardwood.

At Global Timber, we are hardwood experts and specialists. We have grown up with wood. We know quality wood and we are passionate about our business.

Our primary role is to be an inspiring and innovative link between your purchase, the forests and the sawmills around the world.

With representation in Africa, America, Asia and Europe, we ensure quality and optimal logistics on all continents, even in countries where this is challenging.

Our mission is to provide wood of the highest quality while helping to preserve our global forests through various environmental certifications.



06
WHO WE ARE

08
OUR LOCAL MARKET

10
GLOBAL PROFILE

12
WHAT WE OFFER

- | | |
|----------------------|------------------------------|
| Abachi/Ayous | Oak, European |
| Afrormosia | Oak, Red American |
| Ash, American | Oak, White American |
| Ash, European | Okan, African |
| Ash (Thermo) | Okoume, African |
| Beech | Poplar (Tulipwood), American |
| Bilinga | Sapele |
| Birch | Sipo |
| Cherry, American | Soft Maple, American |
| Doussie | Sycamore (European Maple) |
| Hard Maple, American | Teak |
| Hickory | Teak, Plantage |
| Iroko | Walnut, American |

20
SUSTAINABLE SOURCING



22
ENVIRONMENTAL POLICY

EXPERIENCE, VISION & PASSION FOR HARDWOOD

Global Timber is an independent, Danish-owned company with three partners in our management. With individual competencies and years of experiences in global trading of hardwood, they represent a great team with a profound knowledge about the business of hardwood.

Our market position is based on product accessibly with Northern Europe's largest stock of hardwoods.

"It takes many years to achieve the desired quality, but our buyers have the right competencies for developing trust-based relationships and for maintaining these through professional collaborations."

Understanding the culture of a particular area is part of Global Timber's ethical foundation and business model.

All of the partners have extensive experience, a shared vision for Global Timber and are passionate about hardwood.

Our **vision** is to bring a sustainable piece of nature into people's life.

Our **mission** is to ensure sustainability in worldwide hardwood forestry and to continuously provide our customers as their preferred trading partner through knowledge, innovation and customer value.



NORTHERN EUROPE'S LARGEST STOCKIST OF HARDWOOD

Global Timber is the largest stockist of hardwood in Northern Europe.

Our very extensive range of quality hardwood has been carefully selected from sawmills around the world. From our warehouse in Aarhus, Denmark, we supply hardwood to industries throughout Scandinavia and large parts of Europe.

Global Timber has established personal and trust-based relationships with our suppliers worldwide.

Our core values are quality, service, honesty and care for the environment. Together with wide product accessibility from our warehouse, we guarantee our customers quality products delivered on time and at competitive prices.

Most of our hardwoods we offer, is available as certified wood. Contact our sales team and learn more about the different species and which ones we offer as FSC®-certified.

asia.globaltimber.net



WE

40 years of experience.
Product experts
and professionals.
Global presence.

HEART

We have grown up
with wood. We are
passionate about
wood. We know all
about wood.

WOOD

High quality hard-
wood. 45+ different
types of wood.
30+ countries
and 6 continents.

THERE'S NOTHING LIKE THAT FEELING YOU GET WHEN EXPLORING

In 2013 Per Friis Knudsen established an office in Petaling Jaya, close to Kuala Lumpur, from where he has developed hardwood trade in Southeast Asia, notably in Indonesia and Vietnam. He also sells hardwood in Malaysia and Thailand.

Global Timber Group's origins began in Denmark in 1974. Today, the company is established in Asia and its head office is located in Denmark.

Our focus on tropical hardwood species has taken us to remote and challenging areas in Africa, South America and Southeast Asia. Places where hardwood industry expertise is an absolute must.

We have worked with our suppliers for many years and are extremely familiar with their operations and the way they work.

Approximately 50% of Asian sales are generated from American hardwood, of which the majority is white oak.

The remainder is generated from European hardwood and logs, of which about 90% is certified. About one quarter of Global Timber's total revenue comes from Asian sales


"Asia has always been a part of our business but the rapid development of our office in Malaysia shows our commitment to the region. In a sense, we have followed our European customers here, because they and we believe that we need to have a large presence here in a market that will be important for us in the future."

From our office in Kuala Lumpur, we market and provide long-term supply to our customers in the Asian region in both high-volume programmes and smaller orders. The office markets our hardwoods from Europe, the Americas and Africa.




ABACHI/AYOUS

Thickness	20-105 mm
Quality	FAS
Product Form	Square edged
Moisture Content	8-12%
Weight	About 400kg/m ³
Origin	West Africa




AFRORMOSIA

Thickness	25-105 mm
Quality	FAS
Product Form	Square edged
Moisture Content	AD + KD
Weight	About 740/1100 kg/m ³
Origin	West Africa




ASH, AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Northern America




ASH, EUROPEAN

Thickness	20, 26, 32, 38, 50 and 63 mm
Quality	AB + ABC grade
Product Form	Square edged / Un-edged / Logs
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	European




ASH (THERMO)

Thickness	20, 26, 32, 38, 50 and 63 mm
Quality	AB + ABC grade
Product Form	Square edged / Un-edged / Logs
Moisture Content	8-10%
Weight	About 550 kg/m ³
Origin	Europe




BEECH

Thickness	20, 26, 32, 38, 50 and 63 mm
Quality	AB + ABC grade
Product Form	Square edged / Un-edged / Logs
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Europe




BILINGA

Thickness	25-150 mm
Quality	FAS
Product Form	Square edged / Logs
Moisture Content	10% -/2% + AD
Weight	About 750/1050 kg/m ³
Origin	West Africa



BIRCH

Thickness	26, 33, 40 and 52 mm
Quality	Prime
Product Form	Square edged / Un-edged
Moisture Content	8-10%
Weight	About 600 kg/m ³
Origin	Finland, Baltics



CHERRY, AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 550 kg/m ³
Origin	Northern America




DOUSSIE

Thickness	25-150 mm
Quality	FAS
Product Form	Square edged / Un-edged / Logs
Moisture Content	AD + KD
Weight	About 750/1150 kg/m ³
Origin	West Africa




HARD MAPLE, AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Northern America



HICKORY

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 800 kg/m ³
Origin	Northern America




IROKO

Thickness	25-150 mm
Quality	FAS
Product Form	Square edged / Un-edged / Logs
Moisture Content	12-14% + AD
Weight	About 600/1050 kg/m ³
Origin	West Africa



OAK, EUROPEAN

Thickness	20, 26, 32, 38, 50 and 63 mm
Quality	AB + ABC grade
Product Form	Square edged / Un-edged / Logs
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Europe



OAK, RED AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Northern America



OAK, WHITE AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Northern America



OKAN, AFRICAN

Thickness	25-150 mm
Quality	FAS
Product Form	Square edged / Logs
Moisture Content	AD + KD
Weight	About 900/1050 kg/m ³
Origin	West Africa




OKOUME, AFRICAN

Thickness	25-105 mm
Quality	FAS
Product Form	Square edged
Moisture Content	AD + KD
Weight	About 450/600 kg/m ³
Origin	West Africa



POPLAR (TULIPWOOD), AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged
Moisture Content	8-10%
Weight	About 450 kg/m ³
Origin	Northern America



SAPELE

Thickness	25-105 mm
Quality	FAS
Product Form	Square edged / Un-edged / Logs
Moisture Content	AD + KD
Weight	About 700/900 kg/m ³
Origin	West Africa




SIPO

Thickness	20-105 mm
Quality	FAS
Product Form	Square edged / Un-edged / Logs
Moisture Content	AD + KD
Weight	About 620/900 kg/m ³
Origin	West Africa




SOFT MAPLE, AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
Quality	FAS, No.1 Com, No.2 Com
Product Form	Square edged / Un-edged / Logs
Moisture Content	AD + KD
Moisture Content	About 580 kg/m ³
Origin	Northern America




SYCAMORE (EUROPEAN MAPLE)

Thickness	20, 26, 32, 38, 50 and 63 mm
Quality	AB + ABC grade
Product Form	Square edged / Un-edged / Logs
Moisture Content	8-10%
Weight	About 650 kg/m ³
Origin	Denmark



TEAK

Thickness	26, 32, 40, 52, 65 and 78 mm
Quality	FEQ
Product Form	Square edged / Un-edged
Moisture Content	8-10%
Weight	About 600 kg/m ³
Origin	Asia



TEAK, PLANTATION

Thickness	26, 32, 40, 52, 65 and 78 mm
-----------	------------------------------

Quality	FAS
---------	-----

Product Form	Square edged
--------------	--------------

Moisture Content	8-10%
------------------	-------

Weight	About 550 kg/m ³
--------	-----------------------------

Origin	South America
--------	---------------



WALNUT, AMERICAN

Thickness	1", 1¼", 1½", 2" and 2½"
-----------	--------------------------

Quality	FAS, No.1 Com, No.2 Com
---------	-------------------------

Product Form	Square edged
--------------	--------------

Moisture Content	8-10%
------------------	-------

Weight	About 600 kg/m ³
--------	-----------------------------

Origin	Northern America
--------	------------------



WE ARE PROUD OF OUR SUSTAINABLE APPROACH

As a modern, global company, we are leaders in social responsibility, human ethics and sustainable conduct in all of our processes – in Denmark and around the world.

We have a vested interest in taking care of nature because it ensures the source of our wood remains intact.

We are proud to help preserve our forests globally through important environmental certification programmes. This contributes to better conditions for the forests and a future-proof environment focusing on CO2 emissions.

We want to provide righteous conditions according to CSR in local areas worldwide. We source from licensed log-suppliers and we support sustainable forestry.



WE MAKE A POSITIVE DIFFERENCE

Wood improves the indoor climate for millions of people around the world.

WE ALWAYS TRADE RESPONSIBLY

Global Timber is FSC® and PEFC™ - certified and meets EUTR requirements.

SUSTAINABLE QUALITY

When you choose hardwood, you obtain a quality product that lasts forever.

RESPONSIBLE SOURCING AND ENVIRONMENTAL POLICY

Global Timber's environmental policy is based on respect for our natural resources and on the importance our forests have for the climate – for current generations and for future generations

We actively work to operate and maintain sustainable forestry. We ensure that trees are felled legally, in accordance with international standards, local regulations and legislation in our partners' countries.

Global Timber is an active and engaged member of the Danish Timber Trade Federation, which requires that its members source wood based on sustainable principles and that they inspect their suppliers to ensure that they are environmentally responsible.

Global Timber recognises and supports the Forest Stewardship Council® (FSC®) and the Programme for the Endorsement of Forest Certification schemes™ (PEFC™).

Global Timber is FSC® certified. We are also PEFC-certified. Furthermore, we have implemented the EU security system that prevents trade in illegal timber.

This means that we ensure our products meet EUTR requirements and that we can provide advice and guidance relating to other trade requirements we also comply with. We respect human rights, comply with occupational health and safety regulations, are engaged in anti-corruption and enter into partnerships that care for the environment, people and nature.



The mark of
responsible forestry



CONTACT

M +60 111 429 7073
T +60 3 7610 2049
pfk@globaltimber.dk

OFFICE

Global Timber Asia
A-06-09 Dataran Prima
47301 Petaling Jaya
Selangor Malaysia

asia.globaltimber.net